Alzheimer's & Dementia®

DEMENTIA CARE RESEARCH AND PSYCHOSOCIAL **FACTORS**

POSTER PRESENTATION

DEMENTIA CARE RESEARCH (RESEARCH PROJECTS; NONPHARMACOLOGICAL)

Validation of the Chinese Brief Ageing Perceptions Questionnaire (C-BAPQ)

Frank Ho-yin Lai^{1,2} | Andrew Man-hong Siu³ | Ben Chi-bun Yip⁴ | Eddie Yip-kuen Hai⁵ | Julie-anne Lowe⁶ | Stella Kai-wui Chan⁷ | Vivian Wai-vin Chui⁸ Kathy Ka-ying Yu⁹

Correspondence

Frank Ho-yin Lai, Mental Health Research Centre, The Hong Kong Polytechnic University, Kowloon, Hong Kong,

Email: frank.lai@northumbria.ac.uk

Abstract

Background: Understand individuals' self-perception of aging is crucial for promoting a positive aging experience, better health with good quality of life, addressing activities participation, and can help by advocating policies and interventions that support the diverse needs of an aging population. This study aims to examine the validity and reliability of the Chinese version of BAPQ (C-BAPQ) for the healthy older people by assessing the content validity, test-retest reliability, and correlational analyses with mental health by Depression, Anxiety, and Stress Scale (DASS-21), quality of life by the Short Form 36 Health Survey (SF-36) and activity participation by the Model of Human Occupation Screening Tool (MOHOST). Moreover, to study the factor structure of the Chinese version of BAPQ (C-BAPQ) by using exploratory factor analysis.

Method: A two-phase study was conducted. Phase 1 included reviews by a panel of experts and a panel of caregivers to evaluate the clarity, understandability and relevance of C-BAPQ items. Phase 2 field testing examined test-retest reliability, internal consistency, factor structure, and correlation with the SF36, DASS-21, and MOHOST in a sample of Chinese older adults who are community dwellers.

Result: Inter-rater reliability analysis demonstrated moderate agreement in clarity, understandability, and cultural relevance for the C-BAPQ. With a group of 120 older adults from snow-ball sampling, the C-BAPQ demonstrated a high level of internal consistency, with Cronbach's alpha of 0.99, F = .005, p = .831. The C-BAPQ was moderately correlated with mental health (r = -.52, p < .001), health status and quality of life (r = .45, p < .001) and activity participation (r = .54, p < .001). Factor analysis yielded a five-factor structure of the C-BAPQ which was consistent with the original version.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2024 The Alzheimer's Association. Alzheimer's & Dementia published by Wiley Periodicals LLC on behalf of Alzheimer's Association.

¹Mental Health Research Centre, The Hong Kong Polytechnic University, Kowloon, Hong

²The Northumbria University Newcastle, UK, United Kingdom

³Department of Health Sciences, College of Health, Medicine and Life Sciences, The Brunel University, London, United Kingdom

⁴School of Medical and Health Sciences, Tung Wah College, Kowloon, Hong Kong

⁵Faculty of Health Sciences and Wellbeing, The Sunderland University, Sunderland, United

⁶Northumbria University, Newcastle, United Kingdom

⁷Occupational Therapy Department, Wong Tai Sin Hospital, Kowloon, Hong Kong

⁸Hong Kong Sheng Kung Hui Welfare Council Ltd, Hong Kong, Hong Kong

⁹Salvation Army Hong Kong & Macau Command, Tai Po Multi-service Centre for Senior Citizen, Tai Po, Hong Kong

Conclusion: The C-BAPQ demonstrates sensitivity in assessing self-perception of ageing in older adults. Further longitudinal research utilizing a larger, more representative sample would serve to enhance the psychometric rigor and properties of the C-BAPQ.